# 量子物質研究グループ

### **Quantum Materials Group**

物性物理はこれまで新しい物質、新しい現象、新しい概 念の発見によって、大きく発展してきた。物性研究所で活 発に研究されてきた強相関電子系は、その顕著な例である。 一方、研究のブレークスルーは、多くの場合分野の融合に よって実現する。本研究グループは、このような考えのもと、 量子物質研究のさらなる飛躍を目指して、理論と実験の緊 密な連携を核とし従来の研究部門の垣根を超えた共同・連 携研究を推進するために新設された。当グループは2つの コアグループと12の連携グループからなり、互いに強く 連携・協働しながら、強相関電子系の新しい量子相や新し い機能性物質の開発を目指した研究を進めている。例えば、 バルクや薄膜の試料を作製し、その精密物性測定を駆使し てスピントロニクス機能の開拓に取り組んでいる。これら の実験研究は、理論手法の開発を通じて新しいトポロジカ ルな量子相の開拓を行う理論チームと協力し活発に進めて いる。

Condensed matter physics has progressed, relying on discoveries of new materials, new phenomena, and new concepts. A good example can be found in the history of research on strongly correlated electron systems, one of the major traditional strengths of ISSP. On the other hand, breakthroughs have often been made at an intersection of various research fields. Aiming at another leap forward, the Quantum Materials Group has been created to promote interdisciplinary studies based on the collaboration between the experimental and theoretical groups beyond the conventional research disciplines. The quantum materials group currently consists of two core groups and twelve joint groups. All the groups vigorously conduct collaborative research to discover novel quantum phases and functional materials in correlated electron/spin systems. The activities include new material synthesis in bulk and thin-film forms and their characterization through stateof-the-art measurement systems. Device fabrication is also carried out for spintronics applications. These experiments are conducted through lively discussion and tight collaboration with theory groups, which search for new topological phases by using an advanced theoretical approach and numerical methods.

グループ主任 押川 正毅 Leader OSHIKAWA, Masaki

## 押川研究室 Oshikawa Group

### 研究テーマ Research Subjects

- 1 場の理論の量子異常と量子相の分類 Anomaly in quantum field theory and classification of quantum phases
- 2 非線形電気伝導の統一的理論 Unified theory of nonlinear electrical conduction
- 3 ネットワーク上の電子状態と輸送現象 Electronic states and transport phenomena on networks
- 4 新奇スピン液体の設計と探求 Design and study of exotic spin liquids






助教 闫 寒 Research Associate YAN, Han

教授 押川 正毅 Professor OSHIKAWA, Masaki

専攻 Course 理学系物理学 Phys., Sci.


量子多体系の理論を中心として、広範な系で成立する普遍的な概念を探求している。最近の成果の例として、場の理論における量子異常を応用してギャップレスな臨界相の間に新たな分類が生じることを示し、量子相の分類に新たな展開をもたらした。また、理論的な新概念を踏まえて、実験結果の統一的な理解や、新たな実験に対する予言にも取り組んでいる。例えば、電荷密度波物質 1T-TaS2 の電子状態を記述する量子細線のネットワーク模型を構築し、新たな機構によって対称性に保護される平坦バンドの出現を示した。さらに、フラストレート磁性体における高階ゲージ理論やフラクトントポロジカル相の実現と、その実験的帰結について研究を進めている。これらの研究の多くは、国際共同研究として推進している。

We pursue universal concepts in physics, especially in quantum many-body systems. As an example, based on anomaly in quantum field theory, we introduced a new classification of gapless quantum critical phases in the presence of symmetries. This opened up a new direction in classification of quantum phases. On the other hand, taking advantage of novel theoretical concepts, we also aim to give a unified picture on experimental data and to make testable predictions for experiments. For example, recently we introduced a "network model" of quantum wires in order to describe electronic states in the charge-density-wave material 1T-TaS2 and demonstrated a realization of flat bands. Unlike most of the known constructions of flat bands, in our novel mechanism, the flatness is protected by symmetries and is robust. Furthermore, we investigate possible realizations of higher-rank gauge theories and fracton topological phases in frustrated magnets and their experimental consequences. Much of our research is carried out in international collaborations.



ブリージングパイロクロア格子上の磁性体のモンテカルロシミュレーションに よるスピン構造因子。この模型は高階ゲージ理論を実現する。

Spin structure factor found in Monte Carlo Simulation of a magnet on a Breathing Pyrochlore lattice, which realizes a higher-rank gauge theory.



ネットワーク上の電子状態。対称性に守られた干渉効果により、平坦バンドの 安定な出現が保証される。

Electronic states on a network. An interference effect protected by symmetries guarantees the robust appearance of flat bands.



### 中辻研究室

### Nakatsuji Group

### 研究テーマ Research Subjects

- トポロジカル磁性体の室温量子伝導 Room-temperature topological transport in magnetic materials
- 2 強相関電子系における異常金属相と新しい超伝導体の開拓 Strange metal behavior and unconventional superconductivity in strongly correlated materials
- 3 トポロジカル量子状態の制御によるスピントロニクスとエネルギーハーベスティング応用
  - Manipulation of topological states for spintronics and energy harvesting applications




特任教授 中辻 知 Project Professor NAKATSUJI, Satoru

専攻 Course 理学系物理学 Phys., Sci.


現在、磁性や超伝導、スピントロニクスといった分野が、トポロジーという概念によって再び整理・統合され、多くの新しい物理現象の発見に繋がっている。これらの物性物理の変革には、素粒子論、宇宙論、量子情報などで発展してきた概念が大きく関わっており、既存の分野の枠組みを超えた新しい視点での研究が重要になっている。私達の研究室では、そのような新しい概念を具現化する量子物質を自ら作り出し、世界最高精度の物性測定技術によってその背後にある物理法則の解明を目指して研究を行っている。それだけでなく、量子物質の驚くべき機能性をスピントロニクスやエネルギーハーベスティングに利用するための研究も行っており、産業界からも注目を集めている。

The condensed matter physics is considered one of the most versatile subfields of physics, embracing big ideas from particle physics, cosmology, and quantum information. Recently, the concept of topology has brought up a new era in condensed matter research that integrates a diverse spectrum of fields and topics, bridging basic science with technological innovations. Thus, it is critical to push beyond the traditional disciplines to establish new conceptual framework and to target at the significant problems. Our research activities focus on designing and synthesizing new materials with emergent quantum properties that have never been seen before, then exploring the physics and functionalities of such properties with our world-leading measurement facilities. Our goal is to lead the innovative quest for new quantum materials that bear a far-reaching impact not only on basic science but also on our everyday life in the future.



a. Mn<sub>3</sub>Sn と Pt、Cu、W との積層膜における、ホール電圧の書き込み電流 l<sub>write</sub> 依存性。b. 多値記憶の実証実験。c. Mn<sub>3</sub>Sn でのスピン軌道トルク磁化反転。[Nature **580**, 608 (2020)]

a. Hall voltage vs. write current  $I_{\rm write}$  for the Mn<sub>3</sub>Sn/Pt, Cu, W bilayer devices. b. Illustration of the multi-valued memory device. The multi-valued Hall voltage is achieved by changing the lower limit of the write current,  $I_{\rm write}^{\rm min}$  c. Spin-orbit torque switching realized in Mn<sub>3</sub>Sn. [Nature 580, 608 (2020)]



Fe<sub>3</sub>X (X = Ga, AI) における a. 結晶構造。b. 異常ネルンスト効果の温度依存性。c. ノーダルウェブ構造。[Nature **581**, 53 (2020)]

a. Crystal structure of  $\text{Fe}_3X$  (X = Ga, Al). b. Temperature dependence of the anomalous Nernst effect. c. The nodal web in momentum space. [Nature **581**, 53 (2020)]



# 三輪研究室 Miwa Group

#### 研究テーマ Research Subjects

- 量子物質スピントロニクスSpintronics using a quantum material
- 2 キラル分子スピントロニクス Spintronics using a chiral molecule
- 3 フェムト秒パルスレーザーや放射光 X 線等のオペランド分光 Operando spectroscopy using pulse laser and synchrotron radiation
- 4 スピンによる脳型コンピューティング Brain-inspired computing using spintronics





助教 坂本 祥哉 Research Associate SAKAMOTO, Shoya

准教授 三輪 真嗣 Associate Professor MIWA, Shiniii

専攻 Course 新領域物質系


Adv. Mat., Frontier Sci.


高品質かつ特徴的なナノ構造を用いた物性実験研究を行っている。具体的には半導体工学ではじまった超高真空薄膜成長技術を金属や誘電体・有機分子に適用し、異種材料界面を有する多層膜デバイスを用いて研究を行う。ナノの世界で「スピン」の性質が顕著に現れることに着目して新物質・材料デバイスが示す新たな物性(物の性質)を見つけて機能化し、物理を把握して室温で大きな効果を示すデバイス物性の創成を目指している。

最近の研究テーマはワイル磁性体をはじめとした量子物質を用いた新奇スピントロニクスデバイスの研究やキラルフタロシアニンや生体分子をもちいた分子スピントロニクスデバイスの研究である。電気応答のみならず、電流電圧を印加しながらフェムト秒パルスレーザー分光やX線吸収分光を行う「オペランド分光」を用いて様々なスピントロニクス現象の機構解明を試みている。

We study experimental condensed matter and materials physics using high quality and unique nanostructures. We use the ultra-high vacuum technology used in semiconductor technology to fabricate multilayers of metals, dielectrics, and organic molecules. We focus on the spin and orbital properties that can be pronounced in nanostructures, and fabricate spintronic devices. Our research goal is to characterize the novel physical properties of such devices and to demonstrate large effects at room temperature using a physics-based approach.

Recently, we are investigating a novel spintronic device using a quantum material such as Weyl magnets. We are also studying a molecular spintronic device using a chiral molecule such as chiral phthalocyanine and a biomolecule. In addition to electrical measurements, we reveal the microscopic origin of the various spintronic phenomena using operando spectroscopy with a femtosecond pulse laser system and synchrotron radiation.





- (a) 特徴的なナノ構造の例。(b) オペランド放射光 X 線分光の例。高品質薄膜デバイス研究と X 線分光研究の融合により、次世代不揮発性メモリの駆動技術として重要な電気磁気効果の物理機構を解明した。
- a) An example of a unique nano-structure. (b) An example of operando synchrotron X-ray spectroscopy. The origin of the voltage-controlled magnetic anisotropy, which is important for future non-volatile random access memory, has been revealed.
- (a) ワイル反強磁性体 Mn<sub>3</sub>Sn のスピン及び結晶構造。(b) 拡張磁気八極子の特性を利用することにより、フェムト秒パルスレーザーを用いて反強磁性金属の実時間スピン振動の観測に初めて成功した。
- (a) Spin and crystal structures of Weyl antiferromagnet Mn<sub>3</sub>Sn. (b) Using a property of the cluster magnetic octupole, we have succeeded in observing the time-resolved spin oscillation of a metallic antiferromagnet by employing a pulse laser system.

