

参考文献

- [1] K. Mayumi, A. Marcellan, G. Ducouret, C. Creton, T. Narita, “Stress-Strain Relationship of Highly Stretchable Dual Cross-Link Gels: Separability of Strain and Time Effect”, *ACS Macro Letters*, 2, 1065-1068 (2013).
- [2] R.. Long, K. Mayumi, C. Creton, T. Narita, C. Y. Hu*, “Time Dependent Behavior of a Dual Cross-Link Self-Healing Gel: Theory and Experiments” *Macromolecules*, 47, 7243-7250 (2014).
- [3] C. Liu, H. Kadono, K. Mayumi, K. Kato, H. Yokoyama, K. Ito, “Unusual fracture behavior of slide-ring gels with movable cross-links”, *ACS Macro Letters*, 6, 1409 (2017).
- [4] H. Gotoh, C. Liu, A. B. Imran, M. Hara, T. Seki, K. Mayumi, K. Ito*, Y. Takeoka, “Optically transparent, high-toughness elastomer using a polyrotaxane cross-linker as a molecular pulley”, *Science Advances*, 4, eaat7629 (2018).
- [5] Y. Yasuda, Y. Hidaka, K. Mayumi, T. Yamada, K. Fujimoto, S.Okazaki, H. Yokoyama, K. Ito, “Molecular Dynamics of Polyrotaxane in Solution Investigated by Quasi-Elastic Neutron Scattering and Molecular Dynamics Simulation: Sliding Motion of Rings on Polymer”, *Journal of the American Chemical Society*, 141, 9655 (2019).
- [6] Y. Yasuda, T. Masumoto, K. Mayumi, M. Toda, H. Yokoyama, H. Morita, K. Ito, “Molecular Dynamics Simulation and Theoretical Model of Elasticity in Slide-Ring Gels”. *ACS Macro Letters*, 9, 1280 (2020).

